

10/541,531

11/10/2008

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1626KAS

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JUL 28	CA/CAPplus patent coverage enhanced
NEWS	3	JUL 28	EPFULL enhanced with additional legal status information from the epline Register
NEWS	4	JUL 28	IFICDB, IFIPAT, and IFIUDB reloaded with enhancements
NEWS	5	JUL 28	STN Viewer performance improved
NEWS	6	AUG 01	INPADOCDB and INPAFAMDB coverage enhanced
NEWS	7	AUG 13	CA/CAPplus enhanced with printed Chemical Abstracts page images from 1967-1998
NEWS	8	AUG 15	CAOLD to be discontinued on December 31, 2008
NEWS	9	AUG 15	CAPplus currency for Korean patents enhanced
NEWS	10	AUG 27	CAS definition of basic patents expanded to ensure comprehensive access to substance and sequence information
NEWS	11	SEP 18	Support for STN Express, Versions 6.01 and earlier, to be discontinued
NEWS	12	SEP 25	CA/CAPplus current-awareness alert options enhanced to accommodate supplemental CAS indexing of exemplified prophetic substances
NEWS	13	SEP 26	WPIDS, WPINDEX, and WPIX coverage of Chinese and and Korean patents enhanced
NEWS	14	SEP 29	IFICLS enhanced with new super search field
NEWS	15	SEP 29	EMBASE and EMBAL enhanced with new search and display fields
NEWS	16	SEP 30	CAS patent coverage enhanced to include exemplified prophetic substances identified in new Japanese- language patents
NEWS	17	OCT 07	EPFULL enhanced with full implementation of EPC2000
NEWS	18	OCT 07	Multiple databases enhanced for more flexible patent number searching
NEWS	19	OCT 22	Current-awareness alert (SDI) setup and editing enhanced
NEWS	20	OCT 22	WPIDS, WPINDEX, and WPIX enhanced with Canadian PCT Applications
NEWS	21	OCT 24	CHEMLIST enhanced with intermediate list of pre-registered REACH substances

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability

10/541,531

11/10/2008

NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 10:14:39 ON 10 NOV 2008

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 10:14:51 ON 10 NOV 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 9 NOV 2008 HIGHEST RN 1071762-23-6

DICTIONARY FILE UPDATES: 9 NOV 2008 HIGHEST RN 1071762-23-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.



Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10541531.str



```

chain nodes :
17 18 19 20
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16
chain bonds :
5-7 6-8 9-17 12-18 13-19 16-20
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-9 7-12 8-13 8-16 9-10 10-11 11-12 13-14
14-15 15-16
exact/norm bonds :
9-17 12-18 13-19 16-20
exact bonds :
5-7 6-8 7-9 7-12 8-13 8-16 9-10 10-11 11-12 13-14 14-15 15-16
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 : 7 : 8 :

```

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:CLASS 18:CLASS 19:CLASS
20:CLASS


```

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 10:15:09 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 27 TO ITERATE

100.0% PROCESSED 27 ITERATIONS

4 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 229 TO 851

PROJECTED ANSWERS: 4 TO 200

L2 4 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 10:15:17 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 715 TO ITERATE

100.0% PROCESSED 715 ITERATIONS

55 ANSWERS

SEARCH TIME: 00.00.01

L3 55 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

178.36

178.57

FILE 'CAPLUS' ENTERED AT 10:15:23 ON 10 NOV 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 10 Nov 2008 VOL 149 ISS 20
FILE LAST UPDATED: 9 Nov 2008 (20081109/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

```
=> s l3 and catalyst
      309 L3
      820579 CATALYST
      816968 CATALYSTS
      1051230 CATALYST
              (CATALYST OR CATALYSTS)
L4      270 L3 AND CATALYST

=> s l4 and chiral
      127690 CHIRAL
      19 CHIRALS
      127695 CHIRAL
              (CHIRAL OR CHIRALS)
L5      182 L4 AND CHIRAL


=> s l5 and zeolite
      109468 ZEOLITE
      105615 ZEOLITES
      132884 ZEOLITE
              (ZEOLITE OR ZEOLITES)
L6      6 L5 AND ZEOLITE

=> d ibib abs hitstr tot
```

L6 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2007:188338 CAPLUS
 DOCUMENT NUMBER: 146:441894
 TITLE: Enantioselective hydrogenation over immobilized rhodium diphosphine complexes on mesostructured materials
 AUTHOR(S): Crossman, Adrian; Hoelderich, Wolfgang F.
 CORPORATE SOURCE: Department of Chemical Technology and Heterogeneous Catalysis, University of RWTH-Aachen, Aachen, 52074, Germany
 SOURCE: Catalysis Today (2007), 121(1-2), 130-139
 CODEN: CATTEA; ISSN: 0920-5861
 PUBLISHER: Elsevier B.V.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 146:441894
 AB New heterogeneous chiral catalysts were prepared from Rh diphosphine complexes [Rh(P-P)COD]Cl ((P-P) = diphosphine ligand and COD = cyclooctadiene), and Al-MCM-41, Al-MCM-48, and Al-SBA-15, resp. Impregnation of the mesoporous Al-MCM-41, Al-MCM-48, and Al-SBA-15 with the organometallic complexes in CH₂Cl₂ led to strongly bonded hydrogenation catalysts. The catalysts were characterized with XRD, FTIR and MAS NMR, as well as thermoprogrammed desorption of NH₃, TGA, and N sorption expts. The hydrogenation of di-Me itaconate, Me α -acetamidoacrylate, and Me α -acetamidocinnamate were studied as test reactions. The immobilized catalysts showed high activities and excellent chemo- and enantioselectivities. Up to 98% e.e., >99% conversion and 99% selectivity were observed in the case of studied prochiral olefins. The catalysts could be reused without a loss of catalytic activity. Leaching of the homogeneous complex out of the mesoporous framework was not observed
 IT 136735-95-0
 RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES (Uses)
 (reactions of rhodium diphosphine complexes with mesostructured materials to give immobilized rhodium diphosphine complexes as enantioselective hydrogenation catalysts)
 RN 136735-95-0 CAPLUS
 CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-, (2S,2'S,5S,5'S)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

L6 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)




REFERENCE COUNT: 35 THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L6 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2005:418447 CAPLUS
 DOCUMENT NUMBER: 144:152156
 TITLE: Enantioselective hydrogenation over immobilized transition metal complex catalysts
 AUTHOR(S): Crossman, A.; Hoelderich, W. F.
 CORPORATE SOURCE: Department of Chemical Technology and Heterogeneous Catalysis, RWTH Aachen University, Aachen, 52074, Germany
 SOURCE: Studies in Surface Science and Catalysis (2004), 154C(Recent Advances in the Science and Technology of Zeolites and Related Materials), 2839-2846
 CODEN: SSCTDM; ISSN: 0167-2991
 PUBLISHER: Elsevier B.V.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB A series of heterogeneous chiral catalysts was prepared from rhodium diphosphine complexes [Rh(L-L)COD]Cl ((L-L) = diphosphine ligand and COD = cyclooctadiene), Al-MCM-41 and Al-MCM-48, resp. Impregnation of the mesoporous Al-MCM-41 and Al-MCM-48 with the organometallic complexes in dichloromethane led to strongly bonded hydrogenation catalysts. The catalysts were characterized with XRD, FT-IR and MAS-NMR, as well as thermoprogrammed desorption of ammonia, thermogravimetric anal., and nitrogen sorption expts. The hydrogenation of di-Me itaconate (I), Me α -acetamidoacrylate (II), and Me α -acetamidocinnamate (III) were studied as test reactions. The immobilized catalysts showed high activities and excellent chemo- and enantioselectivities. Up to 99% e.e., >99% conversion and 99% selectivity were observed in the case of studied prochiral olefins. The catalysts could be reused without a loss of catalytic activity. Leaching of the homogeneous complex out of the mesoporous framework was not observed
 IT 136735-95-0P, (S,S)-Methyl-DuPHOS
 RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)
 (immobilized in aluminum-zeolites; preparation and characterization of immobilized rhodium complex-zeolite catalysts for enantioselective hydrogenation)
 RN 136735-95-0 CAPLUS
 CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-, (2S,2'S,5S,5'S)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




L6 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L6 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2005:314635 CAPLUS
 DOCUMENT NUMBER: 143:43953
 TITLE: Asymmetric hydrogenation using chiral Rh complexes immobilized with a new ion-exchange strategy
 AUTHOR(S): Hems, William P.; McMorn, Paul; Riddell, Stewart; Watson, Simon; Hancock, Frederick E.; Hutchings, Graham J.
 CORPORATE SOURCE: Johnson Matthey PCT, Cambridge, CB4 0FP, UK
 SOURCE: Organic & Biomolecular Chemistry (2005), 3(8), 1547-1550
 CODEN: OBCRAK; ISSN: 1477-0520
 PUBLISHER: Royal Society of Chemistry
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 143:43953
 AB Rh diphosphine complexes using DuPhos and JosiPhos as chiral ligands were immobilized by ion exchange into the mesoporous material MCM-41. When used as catalysts for the enantioselective hydrogenation of di-Me itaconate and Me-2-acetamidoacrylate, these heterogeneous catalysts give catalytic performance in terms of yield and enantioselection that are comparable to the corresponding homogeneous catalysts. Also, the heterogeneous catalysts can be readily recovered and reused without loss of catalyst performance. A 2nd immobilization strategy is described in which [Rh(COD)2]⁺ BF₄⁻ is initially immobilized by ion exchange and subsequently modified by the chiral diphosphine and this give comparable catalyst performance. This immobilization strategy opens up the possibility of easy ligand-screening for parallel synthesis and libraries.
 IT 147253-67-6
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of chiral diphosphine ligands with immobilized rhodium hydrogenation catalyst for the asym. heterogeneous hydrogenation of di-Me itaconate or acetamidoacrylate)
 RN 147253-67-6 CAPLUS
 CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-, (2R,2'R,5R,5'R)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



L6 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
 REFERENCE COUNT: 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE
 FORMAT


L6 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2002:353345 CAPLUS
 DOCUMENT NUMBER: 136:371455
 TITLE: Asymmetric hydrogenation catalysts
 INVENTOR(S): Hems, William Patrick; Hutchings, Graham John
 PATENT ASSIGNEE(S): Imperial Chemical Industries PLC, UK
 SOURCE: PCT Int. Appl., 15 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002036261	A2	20020510	WO 2001-GB4842	20011101
WO 2002036261	A3	20021031		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, SE, TR, BF, BJ, CF, CG, CI, CM, GM, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2002012470	A	20020515	AU 2002-12470	20011101
EP 1390142	A2	20040225	EP 2001-980677	20011101
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
US 20040220049	A1	20041104	US 2003-416053	20030922
PRIORITY APPLN. INFO.:			GB 2000-26890	A 20001103
			WO 2001-GB4842	W 20011101

OTHER SOURCE(S): MARPAT 136:371455
 AB A solid catalyst for asym. hydrogenation reactions is disclosed comprising a chiral cationic metal-ligand complex immobilized on a mesoporous aluminosilicate support. The catalyst is formed by ion exchange with the acid sites of the support. The catalyst is reusable, and maintains its activity after use.
 IT 147253-67-6, (R,R)-Methyl-DuPhos
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (ligand; asym. hydrogenation catalysts)
 RN 147253-67-6 CAPLUS
 CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-, (2R,2'R,5R,5'R)- (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).

L6 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



L6 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2001:327784 CAPLUS
 DOCUMENT NUMBER: 136:39063
 TITLE: Immobilization of chiral homogeneous catalysts and their use for oxidation and hydrogenation reactions
 AUTHOR(S): Holderich, Wolfgang F.; Wagner, Hans H.
 CORPORATE SOURCE: Department of Chemical Technology and Heterogeneous Catalysis, University of Technology RWTH-Aachen, Aachen, 52074, Germany
 SOURCE: NATO Science Series, II: Mathematics, Physics and Chemistry (2001), 13(Catalysis by Unique Metal Ion Structures in Solid Matrices), 279-293
 CODEN: NSSICD
 PUBLISHER: Kluwer Academic Publishers
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB Catalytical processes in the production of fine and intermediate chems. have found great interest in industry which is well aware of com. as well as environmentally sustainable aspects. Generally applicable methods for the transformation of major homogeneous catalysts to give recyclable heterogeneous catalysts will be presented in some examples. The immobilization will be demonstrated in the following two cases: - Homogeneous transition metal complexes on special zeolites containing mesopores completely surrounded by micropores. - Homogeneous transition metal complexes on mesoporous MCM-41 type material. The catalysts obtained thereby are tested in different stereoselective reactions such as oxidation and hydrogenation.
 IT 136735-95-0
 RL: CAT (Catalyst use); USES (Uses)
 (immobilization of chiral homogeneous catalysts and use for oxidation and hydrogenation reactions)
 RN 136735-95-0 CAPLUS
 CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-, (2S,2'S,5S,5'S)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



REFERENCE COUNT: 29 THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS

L6 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 1999:795730 CAPLUS
 DOCUMENT NUMBER: 132:37254
 TITLE: Polyoxyanions as anchoring agents for metal complex catalysts on supports, and preparation thereof for hydrogenation
 INVENTOR(S): Tanielian, Setrak K.; Augustine, Robert L.
 PATENT ASSIGNEE(S): Seton Hall University, USA
 SOURCE: PCT Int. Appl., 44 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9964154	A1	19991216	WO 1999-US11998	19990602
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6136746	A	20001024	US 1998-95998	19980611
AU 9942225	A	19991230	AU 1999-42225	19990602
PRIORITY APPLN. INFO.:			US 1998-95998	A 19980611
			WO 1999-US11998	W 19990602

OTHER SOURCE(S): MARPAT 132:37254
 AB A highly stable supported catalyst comprising a support, an anchoring agent such as an isopolyoxymetal anion (single metal polyoxide) or oxo metal salt thereof, and a metal complex exhibits high reactivity and selectivity in a wide variety of organic reactions, especially the hydrogenation of substituted α,β -unsatd. acids and esters. Thus, 1 g activated, neutral γ -aluminum oxide and 66.6 micromol ammonium molybdate [(NH₄)₆Mo₇O₂₄·4H₂O] dissolved in 7 mL 10:4 EtOH-H₂O was heated to 70° for .apprx.6 h until the solvent evaporated, giving a modified support, which (300 mg) was agitated overnight with 2 mL MeOH and 1 mL methanolic solution of Rh(DIPAMP)(COD)BF₄, giving a catalyst containing 44.4% adsorbed Rh complex. The above catalyst (330 mg) was used in the chiral hydrogenation of Me 2-acetamidoacrylate, showing product enantiomeric excess 95.4% and conversion rate 1.6 x 10³ mol H₂/mol Rh/min.
 IT 147253-67-6
 RL: CAT (Catalyst use); USES (Uses)
 (Ligand; polyoxyanions as anchoring agents for metal complex catalysts on supports and preparation thereof for hydrogenation)
 RN 147253-67-6 CAPLUS
 CN Phospholane, 1,1'-(1,2-phenylene)bis[2,5-dimethyl-, (2R,2'R,5R,5'R)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).

L6 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
 RECORD. ALL CITATIONS AVAILABLE IN THE RE
 FORMAT

L6 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS
 FORMAT RECORD. ALL CITATIONS AVAILABLE IN THE RE

10/541,531

11/10/2008

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

42.42

220.99

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-4.80

-4.80

STN INTERNATIONAL LOGOFF AT 10:19:21 ON 10 NOV 2008